

Safety Data Sheet

HaBaFlex Fishing Lure Plastisol

Page n. 1 of 8

Safety Data Sheet dated 16/02/2017, version 1

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name: HaBaFlex Fishing Lure Plastisol

Chemical description: Mixture of phthalate free plasticizers/ heavy metal free heat stabilizers / Polyvinyl Chloride

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Producing of Artificial Fishing Lures

1.3. Details of the supplier of the safety data sheet

Supplier:

HaBaFlex– Oostermaat 28 ,8281RB, Genemuiden, Holland

Tel.: +31(0)6 43 27 2262 e-mail: habaflex@outlook.com

Competent person responsible for the safety data sheet:

Hannuk Bakker

1.4. Emergency telephone number

HaBaFlex - Tel +31(0)6 43 27 2262 (24hrs – English only)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).

Directive criteria, 67/548/CE, 99/45/EC and following amendments thereof:

Properties / Symbols:

None.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Symbols:

None

Hazard statements:

None

Precautionary statements:

None

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards;

vPvB Substances: None - PBT Substances: None

Other Hazards:

No other hazards

HaBaFlex Fishing Lure Plastisol

Page n. 2 of 8

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of EEC directive 67/548 and CLP regulation and related classification:

No ingredients to be listed.

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

In case of Ingestion:

Do not under any circumstances induce vomiting. Seek immediately medical advice.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

4.2. Most important symptoms and effects, both acute and delayed

Not known.

4.3. Indication of any immediate medical attention and special treatment needed

Treatment:

Not known.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

Not known.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gasses HCl and CO.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Remove persons to safety.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3. Methods and material for containment and cleaning up

Suitable material for taking up: absorbing material, organic, sand

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

HaBaFlex Fishing Lure Plastisol

Page n. 3 of 8

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Do not eat or drink while working.

See also section 8 for recommended protective equipment.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Instructions as regards storage premises:

Adequate ventilation in working area.

Packaging suggested:

HDPE Plastic drums/ Stainless steel drums

7.3. Specific end use(s)

PVC Plastisol for fabrication of artificial Fishing Lures

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

No occupational exposure limit available

DNEL Exposure Limit Values

N.D.

PNEC Exposure Limit Values

N.D.

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles. (ref. EN 166, EN 140, EN175).

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or

Chemical-resistant protective gloves (EN 374). When prolonged or frequently repeated contact may occur, a glove is recommended to prevent contact. Examples of preferred glove barrier materials include: Neoprene. Nitrile/butadiene rubber ("nitrile" or "NBR"). Polyvinyl chloride ("PVC" or "vinyl"). As general indication we suggest as suitable materials for short-term contact or splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): nitrile rubber (NBR; ≥ 0.4 mm thickness) and suitable materials for longer, direct contact (recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): nitrile rubber (NBR; ≥ 0.4 mm thickness). This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances-mixtures.

Respiratory protection:

Use adequate protective respiratory equipment. (ref. EN 136, EN 140, EN 141, EN 143, EN 149, EN 405).

Thermal Hazards:

None

Environmental exposure controls:

None

HaBaFlex Fishing Lure Plastisol

Page n. 4 of 8

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance and colour: White Liquid

Odour: Mild Characteristic

Odour threshold: N.D.

pH: N.D.

Melting point / freezing point: 140 - 180°C

Initial boiling point and boiling range: N.D.

Solid/gas flammability: N.D.

Upper/lower flammability or explosive limits: N.D.

Vapour density: N.D.

Flash point: N.D.

Evaporation rate: N.D.

Vapour pressure: N.D.

Relative density: ca. 1 g/cm³

Solubility in water: Insoluble.

Solubility in oil: N.D.

Partition coefficient (n-octanol/water): N.D.

Auto-ignition temperature: N.D.

Decomposition temperature: N.D.

Viscosity: N.D.

Explosive properties: N.D.

Oxidizing properties: N.D.

SECTION 10: Stability and reactivity

10.1. Reactivity

Stable under normal conditions

10.2. Chemical stability

Stable under normal conditions

10.3. Possibility of hazardous reactions

Stable under normal conditions

By temperatures >200°C hydrogen chloride (HCl) will occur

10.4. Conditions to avoid

Stable under normal conditions.

Avoid temperatures >200°C

10.5. Incompatible materials

Not known

10.6. Hazardous decomposition products

By temperatures >200°C hydrogen chloride (HCl) will occur

HaBaFlex Fishing Lure Plastisol

Page n. 5 of 8

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological information of the mixture:

a) acute toxicity: ND

b) skin corrosion/irritation:

Skin Irritant: N.D.

c) serious eye damage/irritation:

Eye Irritant: N.D.

Toxicological information of the main substances found in the mixture:

Other : N.D.

If not differently specified, the information required in Regulation 453/2010/EC listed below must be considered as N.D.;

a) acute toxicity;

b) skin corrosion/irritation;

c) serious eye damage/irritation;

d) respiratory or skin sensitisation;

e) germ cell mutagenicity;

f) carcinogenicity;

g) reproductive toxicity;

h) STOT-single exposure;

i) STOT-repeated exposure;

j) aspiration hazard.

SECTION 12: Ecological information

12.1. Toxicity

Ecological information of the mixture:

a) Aquatic acute toxicity: N.D.

12.2. Persistence and degradability

Ecological information of the mixture:

N.D.

12.3. Bioaccumulative potential

Ecological information of the mixture:

N.D.

12.4. Mobility in soil

Ecological information of the mixture:

N.D.

12.5. Results of PBT and vPvB assessment

vPvB Substances: None - PBT Substances: None

12.6. Other adverse effects

None

Use according to criteria of good industrial practice, avoiding product dispersion in the environment.

HaBaFlex Fishing Lure Plastisol

Page n. 6 of 8

SECTION 13: Disposal considerations

13.1. Waste treatment methods;

If possible recover the product, and offer for recycling in accordance with local regulation.

13.1.2. Packaging;

Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

13.1.3 Waste Code;

EWC-Code: 070299

SECTION 14: Transport information

14.1. UN number

N.A.

14.2. UN proper shipping name

Proper Shipping Name: N.A.

14.3. Transport hazard class(es)

Road (ADR): N.A.

Air (ICAO/IATA): N.A.

Sea (IMO/IMDG): N.A.

14.4. Packing group

ADR-Packing Group: N.A.

14.5. Environmental hazards

Environmental Pollutant: No

14.6. Special precautions for user

N.A.

14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

N.D.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 67/548/EEC (Classification, packaging and labelling of dangerous substances). Dir. 99/45/EEC (Classification, packaging and labelling of dangerous preparations). Dir. 98/24/EC (Risks related to

chemical agents at work). Dir. 2000/39/EC (Occupational exposure limit values); Dir. 2006/8/CE.

Regulation (CE) n. 1907/2006 (REACH).

For non-EU Countries, the Material Safety Data Sheet it is prepared following the main principles of Globally Harmonized System of Classification and Labelling of Chemicals (GHS) which are adopted worldwide.

Refer to other local regulations that may be relevant (i.e. : sanitary control, waste treatment etc.)

15.2. Chemical safety assessment

No

HaBaFlex Fishing Lure Plastisol

Page n. 7 of 8

SECTION 16: Other information

N.A. = Not Applicable

N.D. = No Data available

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

TOXNET - Databases on toxicology, hazardous chemicals, environmental health, and toxic releases;

NIOSH - Registry of toxic effects of chemical substances (1983) - Occupational Health

Guidelines for Chemical Hazards (1995) - Pocket Guide to Chemical Hazards (on line)

European Chemical Bureau - ESIS: European chemical Substances Information System;

M.Sittig-Handbook of toxic and Hazardous Chemicals and Carcinogens- III Ed.

E.R. Plunkett - Handbook of Industrial Toxicology - III Ed. 1991.

Samson Chem. Pub.-Chemical Safety Sheet working safely with hazardous chemical.

SAX'S Dangerous Properties of Industrial Materials. VIII (1993)

ACGIH "2013 TLVs and BEIs".

ILV "1998/24/EC Directive and subsequent addition".

The product must be stored, handled and used according to criteria of good industrial practice and to regulations in force. This leaflet is offered for your consideration and guidance only. This leaflet complements the Technical Data Sheet but does not replace it. The information herein contained is given to the best of our knowledge at the time of issue.

Due to the several ways in which the product may be used and the possible interaction with variables not depending on or unknown to the supplier, we also cannot accept any liability whatsoever for any loss or damage however arising from the handling and use of our products.

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road.

CAS: Chemical Abstracts Service (division of the American Chemical Society).

CLP: Classification, Labeling, Packaging.

DNEL: Derived No Effect Level.

EINECS: European Inventory of Existing Commercial Chemical Substances.

GefStoffVO: Ordinance on Hazardous Substances, Germany.

GHS: Globally Harmonized System of Classification and Labeling of Chemicals.

IATA: International Air Transport Association.

IATA-DGR: Dangerous Goods Regulation by the "International Air Transport Association" (IATA).

ICAO: International Civil Aviation Organization.

ICAO-TI: Technical Instructions by the "International Civil Aviation Organization" (ICAO).

IMDG: International Maritime Code for Dangerous Goods.

INCI: International Nomenclature of Cosmetic Ingredients.

KSt: Explosion coefficient.

LC50: Lethal concentration, for 50 percent of test population.

LD50: Lethal dose, for 50 percent of test population.

LTE: Long-term exposure.

PNEC: Predicted No Effect Concentration.

REACH: Registration Evaluation and Authorization of Chemicals.

RID: Regulation Concerning the International Transport of Dangerous Goods by Rail.

STE: Short-term exposure.

STEL: Short Term Exposure limit.

STOT: Specific Target Organ Toxicity.

HaBaFlex Fishing Lure Plastisol

Page n. 8 of 8

SVHC: Candidate List of Substances of Very High Concerns.

TLV: Threshold Limiting Value.

TWATLV: Threshold Limit Value for the Time Weighted Average 8 hour day.
(ACGIH Standard).

WGK: German Water Hazard Class.